
COSMIC SERIES



Operation, Maintenance and Service Manual



CONTENTS

I.	Feat	tures of this machine
n.	How	to handle and maintain this machine
III.	How	to play 3
IV.	Vari	ous optional settings
	A.	Positions of dip switches
	В.	Setting the option (dip switches)4
	C.	Volume controller knob 5
٧.	ΤŲ	monitor 5
	A.	Adjustment of TV picture screen
VI.	Upri	ght type parts catalog
	Α.	Component parts related to cabinet (outside)
	В.	Drawing of circuit board mounting positions
	C.	Fuses 7
	D.	Component parts related to cabinet (inside) 8
		a) Operating panel assembly
		b) Door assembly and parts list 9
		c) Lever assembly and part list 10
	Ε.	Component parts related to switches and lamps
		in the cabinet
VII.	Tabl	e type parts catalog
	A.	Component parts related to cabinet (outside)
	₿.	Component parts related to cabinet (inside)
		a) Inside cabinet
		b) Fuses
		c) Operating panel assembly
VIII.	Circ	uit board 15
	A,	Circuit board IC location and parts list
		a) Main circuit board IC location and parts list
		b) Sub-circuit board IC location and parts list
		c) Sound circuit board IC location and parts list
		d) Sound sub-circuit board IC location and parts list
Wirii	ng dia	agram (connector)
		ock diagram
		urce block diagram
		gram
		c diagram (20" color)
		c diagram (14" color)
		k diagram
		25, 24

REFERENCE DRAWING

Fig. 1	Positions of Dip Switches
Fig. 2	Positions of Volume Controller Knob
Fig. 3	Positions of TV Monitor Controller Knobs 5
Fig. 4	Component Parts Related to Cabinet (Outside)
Fig. 5	Circuit Board Mounting Positions 7
Fig. 6	Side View of Circuit Board Mounting Positions
Fig. 7	Position of Sound Sub-circuit Board
Fig. 8	Fuses 7
Fig. 9	Component Parts Related to Cabinet (Inside)
Fig. 10	Operating Panel Assembly 8
Fig. 11	Inside View of Door Assembly 9
Fig. 12	Lever Assembly
Fig. 13	Component Parts Related to Switches in the Cabinet
Fig. 14	Component Parts Related to Cabinet (Outside) 12
Fig. 15	Component Parts Related to Cabinet (Inside)
Fig. 16	Fuses in the Power Source Unit
Fig. 17	Fuses in the Power Circuit Board
Fig. 18	Operating Panel Assembly
Fig. 19	Main Circuit Board 15
Fig. 20	Sub-circuit Board
Fig. 21	Sound Circuit Board 17
Fig. 22	Sound Sub-circuit Board

- WHEN ORDERING PARTS -

Since each component part is indicated by block, definitely specify both the corresponding Fig. No. and part No. within the Fig. when placing an order for it.

UNIVERSAL -

I. FEATURES OF THIS MACHINE

- 1. The game packs in excellent features capturing the hearts of players.
- 2. The lever control system is simple to handle.
- At the flick of a dip switch, you can select among extended play, the number of tanks and time of appearance of an additional tank, etc.
- High score for the day is always displayed on the screen.
- 5. Finely designed cabinet and fascinating acoustic effects.

II. HOW TO HANDLE AND MAINTAIN THIS MACHINE

- Since the UNIVERSAL's ZERO HOUR employs a color TV receiving set, be careful not to shake it during transit and when carrying it about.
- 2. Install it at a location which is not exposed to direct sunlight. In order to prevent the inside temperature rising, avoid as much as possible a location near a heater, etc.
- 3. Since the grounding terminal is visible, be sure to connect it to a grounding conductor.
- 4. Insert the power cord into the outlet and turn on the switch.
- Even if the solid-state module seems to be out of order, do not check the circuit by means of a circuit tester, etc., since the internal voltage of the tester, etc. may sometimes break down the IC.
- 6. Make sure the machine is well ventiated. If the temperature of the IC and transistor is lower than 60°C, the function normally and may be considered reliable. If it exceeds 60°C, their performance cannot be guaranteed.
- 7. Make sure that the connector, etc. is not disconnected.
- Whenever connecting the power cord of the solid-state module to, or disconnecting it from, the outlet, be sure to turn the power off.
- Although the products of UNIVERSAL are manufactured with the utmost care, they may
 develop malfunctions when used for long periods. So, be sure to chek this machine daily.

III. HOW TO PLAY

- 1. Spaceship "ZERO" can be manoeuvred in 8 directions by working the lever distroy the meteorites by using the magazine space gun.
- 2. Shooting down a red meteorite awards a double score.
- 3. If you hit the enemy spaceship while dodging the flickering barrier, 3 enemy spaceships will counterattach launching missiles. After destroying all of then, the next barrier is removed and 3 other enemy spaceships will appear. Thus, a total of 9 enemy spaceships appear, attacking one after the another.
- 4. When you have shot down the 9 assaulting spaceships, a launching pad will appear below. So, carefully land your spaceship on the pad by working the lever. When pushing the FIRE button at this time, your spaceship can be raised. If you succeed in landing, you are awarded additional bonus points which are displayed on the screen.
- The number of cleared screens is displayed by green star(s) on the lower right side. From the 10th screen on, the stars redden.

SCORE

	Meteorite (large)	5 pts
	Meteorite (middle)	10 pts
TO.	Meteorite (small)	15 ртѕ
	Enemy spaceship	20 pts
I	Enemy missile	З ртѕ

IV. VARIOUS OPTIONAL SETTINGS

A. POSITIONS OF DIP SWITCHES




Fig. 1 Positions of Dip Switches

B. SETTING THE OPTION (DIP SWITCHES)

[Dip Switches A]

 Setting the number of SPACESHIPS for game (SW1, 2)

Number of SPACESHIPS	SW1	SW2
2 Ships	ON	ON
3 Ships	OFF	OFF
4 Ships	OFF	ON
5 Ships	ÓN	OFF

2. Setting the required score for an additional SPACESHIP (SW3, 4)

Score for Extra	SW3	SW4
Over 5,000 pts	OFF	OFF
Over 8,000 pts	OFF	ON
Over 10,000 pts	ON	OFF
No extra	ON	ÓN

3. Change-over setting of the mode of game (SW5)

Sytle	SW5	35.0
Table	OFF	
Upright	ON	

4. SW6, 7, 8, of SW A is not used.

[Dig Switches B]

1. Setting the game charge (Coin & Credit)


a. Right chute (SW1, 2, 3, 4)

Coin	Credit	SW5	SW6	SW7	SW8
1	1	OFF	OFF	OFF	OFF
1	2	OFF	OFF	OFF	ON
1	3	OFF	OFF	ON	OFF
1	4	OFF	OFF	ON	ON
1	5	OFF	ON	OFF	OFF
2	1	OFF	ON	OFF	ON
2	3	OFF	ON	ON	OFF
3	1	OFF	ON	ON	ON
3	2	ON	OFF	OFF	OFF
4	1	ON	OFF	OFF	ON
1		ON	OFF	ON	OFF
1	1	ON	OFF	ON	ON
1	1	ON	ON	OFF	OFF
1	1	ON	ON	OFF	ON
1	1	ON	ON	ON	OFF
1 -	1	ON	ON	ON	ON

b. Left chute (SW5, 6, 7, 8)

Coin	Credit	SW5	SW6	SW7	SW8
1	1	OFF	OFF	OFF	OFF
ji .	2	OFF	OFF	OFF	ON
1	3	OFF	OFF	ON	OFF
1	4	OFF	OFF	ON	ON
1	5	OFF	ON	OFF	OFF
2	1	OFF	ON	OFF	ON
2	3	OFF	ON	ON	OFF
3	1	OFF	ON	ON	ON
3	2	ON	OFF	OFF	OFF
4	1	ON	OFF	OFF	ON
1	1	ON	OFF	ON	QFF
1	1	ON	OFF	QN	ON
1	1	ON	QN	OFF	OFF
1	î .	ON	ON	OFF	ON
1	. 1	ON	ON	ON	OFF
1	. 1	ON	ON	ON	ON

C. VOLUME CONTROLLER KNOB






Fig. 2 Positions of Volume Controller Knob

V.TV MONITOR

A. ADJUSTMENT OF TV PICTURE SCREEN




Fig. 3 Positions of TV Manitor Controller Knobs

UPRIGHT TYPE



This documentation provides standard information. Universal reserves the right to change without notice.

VI. UPRIGHT TYPE PARTS CATALOG

A. COMPONENT PARTS RELATED TO CABINET (OUTSIDE)





Fig. 4 Component Parts Related to Cabinet (Outside)

OUTSIDE CABINET PARTS LIST

Ref. No.	Name	Ref. No.	Name
1	Title panel fixture	11	Coin slot (1)
2	Title panel	12	Coin indication panel (1)
3	Illustrated glass (B)	13	Coin slot (2)
4	Illustrated glass (A)	14	Coin indication panel (2)
5	Operating indication panel	15	Cancel button
6	Control lever (general name)	16	Door key
7	Push button (for 1 player)	17	Main door
8	Push button (for 2 players)	18	Cash box door
9	Push button (Fire)	19	Caster
10	Sticker for game rules	20	CRT (20" color)

B. DRAWING OF CIRCUIT BOARD MOUNTING POSITIONS



Before removing the TV monitor, remove the reinforcing lever at the back door.

Main circuit board Container

Fig. 5 Circuit Board Mounting Positions

Fig. 6 Side View of Circuit Board Mounting Positions




Fig. 7 Position of Sound Sub-circuit Board

C. FUSES




Fig. 8 Fuses

D. COMPONENT PARTS RELATED TO CABINET (INSIDE)




Fig. 9 Component Parts Related to Cabinet (Inside)

a) Operating panel assembly




Fig. 10 Operating Panel Assembly

b) Door assembly and parts list




Fig. 11 Inside View of Door Assembly

DOOR ASSEMBLY PARTS LIST

Ref. No.	Name	Ref. No.	Name
1	Main door	13	Coin slot shute holder
2	Returning soucer	14	Rejector
	Lamp & plastic plate bracket	15	Sensor slot
4-	Rearing	16	Micro switch
5	Coin slot shute	17	Key sets
6	Returning button	18	Miniature lamp
7	Coin slot	19	Miniature lamp socket
8	Slot plate	20	Coin indication panel
- 9	Transmission shaft	21	Hexagon socket head screw
10	Rotary bracket	22	Slam switch
- 11	Rejector bracket	23	Slam switch holder
12	Rejector case		

c) Lever assembly and parts list




Fig. 12 Lever Assembly

LEVER ASSEMBLY PARTS LIST

Ref. No.	Name	Ref. No.	Name
1	Knob (upright 32Dim., Table 24Dim.)	9	Rock nut
2	Resin board (transparent)	10	Bracket (A)
3	Resin board (Black)	11	Bracket (B)
4	Lever shaft	12	Blades mounting plate
5	Returning rings (C type)	13	Plate spring
6	Flat washer	14	Insulating fiber
7	Detecting dise	15	Blades switch
8	Steel ball	16	Mounting base

E. COMPONENT PARTS RELATED TO SWITCHES IN THE CABINET




Fig. 13 Component Parts Related to Switches in the Cabinet

INSIDE CABINET PARTS LIST

Ref. No.	Name	Ref. No.	Name
1	Fluorescent lamp for title panel	7	Blades SW for tilt SW
2	Fluorescent lamp for illustrated glass	8	Micro SW for resetting
3	1-player select button blade SW	9	Door SW
4	2-players select button blade SW	10	Micro SW for rejector x 2
5	Control lever 8-directional use blades	11	Toggle SW
1 7 26	SW x 4	12	Blade SW for Fire
6	Miniature lamp for money display x 2	98.6 E3	75 (274) 27 (274)

TABLE TYPE



This documentation provides standard information. Universal reserves the right to change without notice.

VII. TABLE TYPE PARTS CATALOG

A. COMPONENT PARTS RELATED TO CABINET (OUTSIDE)




Fig. 14 Component Parts Related to Cabinet (Dutside)

OUTSIDE CABINET PARTS LIST

Ref. No.	Name	Ref. No.	Name
1	Operating indication illustrated panel	14	Cash box door key
2	Control lever	15	Cash box door
3	FIRE button	16	Speaker (x2)
4	Coin slot frame	17	Leg (left)
5	Selector plate (1)	18	Leg (right)
6	Selector plate (2)	19	Foot
7	Cancel button	20	Foot support
. 8	Push button ass'y (for 1 player)	21	Leg adjuster
9	Push button ass'y (for 2 players)	22	Thumbscrew (x8)
10	Cancel coin receptacle	23	Power cord (AC)
11	Ventilating panel (x3)	24	Door key
12	Sticker for game rules (x2)	25	Cabinet corner box
13	Glass fittings		807 00 00 00 00 00 00 00 00 00 00 00 00 0

B. COMPONENT PARTS RELATED TO CABINET (INSIDE)

a) Inside cabinet




Fig. 15 Component Parts Related to Cabinet (Inside)

INSIDE CABINET PARTS LIST

Ref. No.	Name	Ref. No.	Name	
1	CRT (14" color)	11	Power source unit	
2	TV monitor control	12	Demagnetization switch	
3	Rejector ass'y	13	Door lock ass'v	
_ 4	Coin micro switch	14	Main circuit board	
5	Coin counter	15	Sub-circuit board	
6	Table lock mechanism ass'y	16	Sound circuit board	
7	Butterfly plate ass'y	17	Sound sub-circuit board	
8	TV monitor circuit board	18	Cash box	
9	Power source circuit board	19	Metal door fixture	
10	Door switch	11-		

b) Fuses

Fuses in the power source unit




Fig. 16 Fuses in the Power Source Unit

Fuses in the power circuit board




Fig. 17 Fuses in the Power Circuit Board

c) Operating panel assembly




Fig. 18 Operating Panel Assembly

VIII. CIRCUIT BOARD

A. CIRCUIT BOARD IC LOCATION AND PARTS LIST

a) Main circuit board IC location and parts list




Fig. 19 Main Circuit Board

[1] Integrated Circuit

Item No.	Q'ry	Description
7400N	4	Transistor Logic
7402N	3	
7404N	7	
7408N	8	340
7410N	3	
7427N		W
7430N	1	
7432N	4	
7442N	1	3400 Sept.
7474N	6	
7486N	5	
74107N	2	
74151N	2	
74153N	5	
74154N	1	- 1 w
74157N	11	n e
74161N	7	10
74166N	2	
74174N	3	S Park II /s
74175N	2	
74259N	2	4000
74298N	1	
74365N	4	5 10 S
74L\$153N	1	The state of the s
74LS161N	2	(
74LS163N	2	780 W. W. N. N. N. N.
74LS174N	1	7 PK 8 S
74LS253N	4	1.00000
74LS273N	7	7 10
74LS298N	1	1000 2 3 3 3 3
74LS393N	2	7 DE STATE
74LS395N	6	5F 1
745288	2	256 bits Bipolar ROM
Z80A	1	Neh MOS CPU
2716	9	Neh MOS 16K bits EP RO

Item No.	Q'ty	Description
2114	4	Neh MOS 4K bits Statio
2114-2	В	Neh MOS 4K bits Static RAM
NE555	1	Transistor Logic
NE556	-1	

[2] Other Semiconductor Devices

tem No.	Q'ty	Description
1001	6	Diode

[3] Capacitors

Rating	Q'ty	Description
100PF/12V	2	Ceramic Capacitor
0.01µF/12V	5	
0.1µF/12V	43	
1μF/50V	2	Chemical Capacitor
4.7µF/16V	1	7 76
10μF/16V	1	
100µF/16V	2	

[4] Resistors

Rating	Q'ty	Description	
47Ω 1/4W	4	Carbon Solid Resistors	
330Ω	1		
510Ω "	4	——————————————————————————————————————	
1KΩ "	8	pa .	
4.7ΚΩ "	1	- 500 - 1980	
47KΩ "	3	75 The 15 th 16 th	
MS1028AM	6	1KΩ Resistors Array	
MS1038AM	2	10KΩ "	

[5] Misc

Name	Q'ty	Description
Dip SW	2	8 Elements Switch Array
X'-tal	2	9.828MHz, 4,000MHz

b) Sub-circuit board IC location and parts list




Fig. 20 Sub-circuit Board

[1] Integrated Circuit

Item No.	Q'ty	Description
7400N	1	Transistor Logic
7402N	1	
7417N	1	
7420N	1	· · · · · · · · · · · · · · · · · · ·
7430N	77	,
7474N	2	
7486N	1	Tr 1. 100 to
74163N	1 (" "
74164N	2	
74365N	1	
745288N	1	256 bits Bipolar ROM

[2] Capacitors

Rating	Q'ty	Description	- 9
0.1µF/12V	5	Ceramic Capacitor	- 63
100 PF/12V	T		-3

[3] Resistors

Rating		Q'ty	Description
1002	1/4W	3	Carbon Solid Resistor
100Ω	"	3	" "
150Ω	**	3	77
22017	"	3	
270Ω	**	3	77
MS1028	BAM	1	1KΩ Resistor Array

c) Sound circuit board IC location and parts list




Fig. 21 Sound Circuit Board

Location	Rating	Description
81	100K	Carbon Solid Resistor
2	100K	301
3	100K	j 1.00
4	470K	(0)
5	470K	190%
6	1M	() () () () () () () () () ()
7	470K	7
8	51K	- 0 HOUSE 800
9	1M	94
10	470K	0.5
11	1M:	
12	100K	350
13	100K	2366
14	100K	916
15	100K	200
16	150K	7 700
17	51K	200 200
18	100K	4.
19	33K	
20	10K	
21	10K	100
22	100K	
23	100K	1980
24	100K	"
25	100K	100
26	200K	
27	200K	1,000
28	200K	"
29	1K	in 1984
30	100K	

Location	Rating	Description
F31	2.2M	Carbon Solid Resistor
32	1K	255
33	10K	(30)
34	100K	100
35	10K	· · · · · · · · · · · · · · · · · · ·
36	100K	W
37	1 M	
38	1K	74000
39	100K	-,-
40	470Ω	
41	10K	2 20 000
42	470K	
43	tM	''
44	470K	15
45	51K	
46	470K	
47	1M	T ""
48	1M	
49	1K	
50	100K	
51	100K	
52	100K	
53	10K	
54	10K	T
55	10K	T
56	1M	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
57	114	
58	1M	e) 100 Me ve
59	470K	
60	1K	

Location	Flating	Description
R61	100K	Carbon Solid Resistor
62	1K	
63	10K	."
64	33K	
65	10K	36
66	1K	0.0
67	100K	- 150 M
68	1M	"
69	1K	0.00
70	10K	1007
71	100K	100
72	1K	- T
73	100K	
74	100K	100
75	470Ω	189
76	Not used	1
77	22K	94)
78	100K	(0.0)
79	51K	21
80	200K	
81	200K	1.00
82	100K	
83	200K	••
84	470K	
85	200K	
86	200K	***
87	100K	
88	33011	100
89	10K	580
90	10K	

Locat	ion Ra	ting	Description
A91	10	K	Carbon Solid Resisto
C1	0.0	1μF	Mila
2	1 _µ		Chemical
3		Opf	Ceramic
4		00oF	Mila
- 5		00pF	MIIA
6	22		Chemical
7	7-4-	1μF	Mila
8	1 1 1	100	Chemical
9	1 1 1		Chemical
10	_	XOpF	Mila
11	140	53455	Chemical
12		1#F	Mila
13		1µF	Mila -
14	145		
15	0,1	1	Chemical
16			Caramic
17		7µF	Tantalum
18	220		Ceramic
		OpF	Mila
19	0.0		
20	1µF		Chemical
21	1 _# F		
22	_	OpF	Mila
23	- 2000	OpF	
24	1 _M F		Chemical
25	0,1,	0.0	Ceramic
26	0.1	₽	
Loca-	Item N	в.	Description
01	2\$C945		N-P-N Transistor
2	- "		
3		- 1	
4		-	

tion Item No.		Description	
D1	151588	Switching Diode	
2	16		
3			
4	265-11-00 150-		
5	7,		
6	— .——	<u> </u>	
7	70 -		
8		71	
_ <u>,</u> _	 		
10	—	,	
11			
12			
12			
RB1	M\$1038AM	10K12 Resistor Array	
2	MS2228AM	2.2KΩ Resistor Array	
3			
CRI	TLR103	Light Energy Diode	
IC1 JULN2003AN		Darlington Tran- sistor Array	
2	ULN2003AN		
3	CD4049CN	Hex Inverting Buffer	
4	LM324N	Ouadruple Opera- tional Amplifier	
5	LM324N	00	
6	LM3900N		
7	CD4013CN	Dual D Flip Flop	
8	NESSBN /	Dual Timer	
9	NE556N		

Loca- tion	Item No.	Description
1010	C04070CN	Quad 2-Input E-QR Gate
11	CD4006CN	18-Stage Static Shift Resistor
12	CD4020N	14-Stage Binary Counters
13	LM324N	Quadruple Opera- tional Amplifiers
14	CD4013CN	Dual O Flip Flop
15	CD4016CN	Quad Bilateral Switch
16	CD4050CN	Hex Non-Inverting Buffer
17	NE556N	Dual Timer

d) Sound Sub-circuit board IC location and parts list






Fig. 22 Sound Sub-circuit Board

Rating	Q'ty	Description
MB3730	1	Audio Amplifier
1000µF/25V	1	Chemical Capacitor
22µF/25V	1	rr
4.7µF/25V	1	
0.1μF/25V	2	Ceramic Capacitor
1kΩ ¼W	1	Carbon Solid Registor
100kΩ ¼W	1	
4.7Ω %W	2	
RV16YP 1kΩ	1	Carbon Variable Registor


WIRING DIAGRAM (CONNECTOR)



SOUND BLOCK DIAGRAM



POWER SOURCE BLOCK DIAGRAM



BLOCK DIAGRAM

